

## Hay & Straw Trailers

MAC Commercial Drawbar Hay & Straw Trailers are widely used by agricultural contractors, hay and straw merchants and farmers for the efficient transportation of hay and straw bales and equipment.

These trailers are designed and manufactured to be low to the ground - with cross members through the chassis - to guarantee low ride height and to maximise the transportation capabilities.



### Hay & Straw Trailer

### KEY FEATURES



<b>Platform length</b>	(25ft) 7634mm
<b>Overall width</b>	2550mm
<b>EU / Design Gross Weight</b>	25,000Kg
<b>UK Gross Weight</b>	24,000kg
<b>Unladen Weight</b>	5,000kg



## Hay & Straw Trailer

## KEY FEATURES



**3no 105km 10Ton Granning axles**

**EBS & Air line braking**

**Air suspension complete with  
load Sensing valve**

**Front Lift Axle**

**Raise Lower Valve**

**600mm hayrack at front**

**900mm hayrack at rear**

**Chequer plate over wheels**

**Stainless steel toolbox**


**Telescopic drawbar**

**Jost Landing Leg**

**12no. 215x75x17.5 tyres**

**Rear Cluster Bulb Lights**

**LED Side Lights**



## Hay & Straw Trailer

## KEY FEATURES

1. Raise Lower Valve
2. 28mm Hardwood Floor
3. Telescopic Drawbar
4. Chequer Plate Above Wheel Arches
5. 600mm Hayrack at front & 900mm at Rear